

Quest Diagnostics  
SPECIMEN INFORMATION  
SPECIMEN: LV340301F  
REQUISITION: 00954919  
Lab ref no:

PATIENT INFORMATION  
**John, Smith**  
DOB: September 11, 1984  
AGE: 20  
GENDER: Male  
FASTING: Unknown

REPORT STATUS: FINAL

ORDERING PHYSICIAN  
**Jane, Doe**  
CLIENT INFORMATION  
2019-02-19 14:43:00 -0800  
Lab Testing API  
280 Madison Avenue  
Room 912, 9th Floor  
New York, NY 10016

COLLECTED: 2019/02/14 12:54  
RECEIVED: 2019/02/14 12:55  
REPORTED: 2019/02/19 14:43

Clinical Info:

Test Name	Result	Flag	Reference Range	Lab
<b>ALLERGEN SPECIFIC IGE ASPARAGUS*</b>				
ALLERGEN SPECIFIC IGE ASPARAGUS*	<0.10	NORMAL	<0.35 kU/L	01
CLASS	0	NORMAL		01

The test method is the Phadia ImmunoCAP allergen-specific IgE system.  
CLASS INTERPRETATION <0.10 kU/L= 0, Negative; 0.10 - 0.34 kU/L= 0/1, Equivocal/Borderline; 0.35 - 0.69 kU/L=1, Low Positive; 0.70 - 3.49 kU/L=2, Moderate Positive; 3.50 - 17.49 kU/L=3, High Positive; 17.50 - 49.99 kU/L= 4, Very High Positive; 50.00 - 99.99 kU/L= 5, Very High Positive; >99.99 kU/L=6, Very High Positive  
\*This test was developed and its performance characteristics determined by Viracor Eurofins. It has not been cleared or approved by the U.S. Food and Drug Administration.

**Performing Laboratory Information:**

01: Quest Diagnostics-Wood Dale, 1355 Mittel Blvd, Wood Dale IL, phone: , Medical Director: MD Anthony V Thomas