

Quest Diagnostics  
SPECIMEN INFORMATION  
SPECIMEN: LV340301F  
REQUISITION: 37554112  
Lab ref no:

COLLECTED: 2019/02/14 12:54  
RECEIVED: 2019/02/14 12:55  
REPORTED: 2019/02/19 14:43

PATIENT INFORMATION  
**John, Smith**  
DOB: September 11, 1984  
AGE: 20  
GENDER: Male  
FASTING: Unknown

Clinical Info:

REPORT STATUS: FINAL

ORDERING PHYSICIAN

**Jane, Doe**

CLIENT INFORMATION

2019-02-19 14:43:00 -0800

Lab Testing API

280 Madison Avenue

Room 912, 9th Floor

New York, NY 10016

Test Name	Result	Flag	Reference Range	Lab
<b>ANA SCREEN, IFA, W/REFL TITER AND PATTERN</b>				
ANA SCREEN, IFA	NEGATIVE	NORMAL	NEGATIVE	01

ANA IFA is a first line screen for detecting the presence of up to approximately 150 autoantibodies in various autoimmune diseases. A negative ANA IFA result suggests ANA-associated autoimmune diseases are not present at this time.

Visit Physician FAQs for interpretation of all antibodies in the Cascade, prevalence, and association with diseases at <http://education.QuestDiagnostics.com/faq/FAQ177>

**Performing Laboratory Information:**

01: Quest Diagnostics-Wood Dale, 1355 Mittel Blvd, Wood Dale IL, phone: , Medical Director: MD Anthony V Thomas